


# *Amendments to the Claims*

The listing of claims will replace all prior versions and listings of claims in the application.

1. (Currently amended) ~~Compounds~~ A compound of the formula (I)





in which

A and B together with the carbon atom to which they are attached represent a saturated or unsaturated C<sub>3</sub>-C<sub>8</sub> ring which optionally contains at least one heteroatom and which is optionally substituted,

and

G represents one of the groups



in which

E represents a metal ion equivalent or an ammonium ion,

L represents oxygen or sulphur,

M represents oxygen or sulphur,

R<sup>1</sup> represents in each case optionally substituted alkyl, alkenyl, alkoxyalkyl, alkylthioalkyl or polyalkoxyalkyl or represents in each case halogen-, alkyl- or alkoxy-substituted cycloalkyl or heterocyclyl or represents in each case optionally substituted phenyl or ~~hetaryl~~ heteroaryl,

R<sup>2</sup> represents in each case halogen-substituted alkyl, alkenyl, alkoxyalkyl or polyalkoxyalkyl or represents in each case optionally substituted cycloalkyl, phenyl or benzyl,

R<sup>3</sup>, R<sup>4</sup> and R<sup>5</sup> independently of one another represent in each case optionally halogen-substituted alkyl, alkoxy, alkylamino, dialkylamino, alkylthio, alkenylthio or cycloalkylthio or represent in each case optionally substituted phenyl, benzyl, phenoxy or phenylthio,


R<sup>6</sup> and R<sup>7</sup> independently of one another represent hydrogen, represent in each case optionally halogen-substituted alkyl, cycloalkyl, alkenyl, alkoxy, alkoxyalkyl, or represent in each case optionally substituted phenyl or benzyl, or together with the N atom to which they are attached represent an optionally substituted cycle which optionally contains oxygen or sulphur.

2. (Currently amended) ~~Compounds~~ The compound of the formula (I) according to Claim 1,

in which

A, B and the carbon atom to which they are attached represent saturated C<sub>3</sub>-C<sub>8</sub>-cycloalkyl or unsaturated C<sub>5</sub>-C<sub>8</sub>-cycloalkyl in which optionally one methylene group is replaced by oxygen or sulphur and which is optionally substituted by C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl or C<sub>1</sub>-C<sub>6</sub>-alkoxy,

G represents one of the groups



in which

E represents a metal ion equivalent or an ammonium ion,

L represents oxygen or sulphur and

M represents oxygen or sulphur,

R<sup>1</sup> represents C<sub>1</sub>-C<sub>20</sub>-alkyl, C<sub>2</sub>-C<sub>20</sub>-alkenyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkylthio-C<sub>1</sub>-C<sub>6</sub>-alkyl or poly-C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, each of which is optionally mono- to heptasubstituted by halogen, mono- or disubstituted by cyano, monosubstituted by COR<sup>13</sup>, C=N-OR<sup>13</sup>, CO<sub>2</sub>R<sup>13</sup> or CON< $\begin{smallmatrix} \text{R}^{13} \\ \text{R}^{13'} \end{smallmatrix}$  or represents C<sub>3</sub>-C<sub>8</sub>-cycloalkyl which is optionally mono- to trisubstituted by halogen, C<sub>1</sub>-C<sub>4</sub>-alkyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy and in which

optionally one or two not directly adjacent methylene groups are replaced by oxygen and/or sulphur,

represents phenyl, phenyl-C<sub>1</sub>-C<sub>2</sub>-alkyl or phenyl-C<sub>1</sub>-C<sub>2</sub>-alkenyl, each of which is optionally mono- to trisubstituted by halogen, cyano, nitro, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>6</sub>-haloalkyl, C<sub>1</sub>-C<sub>6</sub>-haloalkoxy, C<sub>1</sub>-C<sub>6</sub>-alkylthio, C<sub>1</sub>-C<sub>6</sub>-alkylsulphinyl or C<sub>1</sub>-C<sub>6</sub>-alkylsulphonyl,

represents 5- or 6-membered ~~hetaryl~~ heteroaryl which is optionally mono- or disubstituted by halogen or C<sub>1</sub>-C<sub>6</sub>-alkyl and which contains one or two heteroatoms from the group consisting of oxygen, sulphur and nitrogen,

R<sup>2</sup> represents C<sub>1</sub>-C<sub>20</sub>-alkyl, C<sub>2</sub>-C<sub>20</sub>-alkenyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>2</sub>-C<sub>6</sub>-alkyl or poly-C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>2</sub>-C<sub>6</sub>-alkyl, each of which is optionally mono- to trisubstituted by halogen,

represents C<sub>3</sub>-C<sub>8</sub>-cycloalkyl which is optionally mono- or disubstituted by halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl or C<sub>1</sub>-C<sub>6</sub>-alkoxy or

represents phenyl or benzyl, each of which is optionally mono- to trisubstituted by halogen, cyano, nitro, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>6</sub>-haloalkyl or C<sub>1</sub>-C<sub>6</sub>-haloalkoxy,

R<sup>3</sup> represents C<sub>1</sub>-C<sub>8</sub>-alkyl which is optionally mono- or polysubstituted by halogen or represents phenyl or benzyl, each of which is optionally mono- or disubstituted by halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, cyano or nitro,

R<sup>4</sup> and R<sup>5</sup> independently of one another represent C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy, C<sub>1</sub>-C<sub>8</sub>-alkylamino, di(C<sub>1</sub>-C<sub>8</sub>-alkyl)amino, C<sub>1</sub>-C<sub>8</sub>-alkylthio or C<sub>2</sub>-C<sub>8</sub>-alkenylthio, each of which is

optionally mono- to trisubstituted by halogen, or represent phenyl, phenoxy or phenylthio, each of which is optionally mono- to trisubstituted by halogen, nitro, cyano, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, C<sub>1</sub>-C<sub>4</sub>-alkylthio, C<sub>1</sub>-C<sub>4</sub>-haloalkylthio, C<sub>1</sub>-C<sub>4</sub>-alkyl or C<sub>1</sub>-C<sub>4</sub>-haloalkyl,

R<sup>6</sup> and R<sup>7</sup> independently of one another represent hydrogen, represent C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy, C<sub>3</sub>-C<sub>8</sub>-alkenyl or C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>2</sub>-C<sub>8</sub>-alkyl, each of which is optionally mono- to trisubstituted by halogen, represent phenyl or benzyl, each of which is optionally mono- to trisubstituted by halogen, C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>1</sub>-C<sub>8</sub>-haloalkyl or C<sub>1</sub>-C<sub>8</sub>-alkoxy, or together represent a C<sub>3</sub>-C<sub>6</sub>-alkylene radical which is optionally mono- or disubstituted by C<sub>1</sub>-C<sub>4</sub>-alkyl and in which optionally one methylene group is replaced by oxygen or sulphur,


R<sup>13</sup> represents C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-alkenyl, C<sub>3</sub>-C<sub>6</sub>-alkynyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>2</sub>-C<sub>4</sub>-alkyl, each of which is optionally mono- to trisubstituted by halogen, or represents C<sub>3</sub>-C<sub>6</sub>-cycloalkyl which is optionally mono- or disubstituted by halogen, C<sub>1</sub>-C<sub>2</sub>-alkyl or C<sub>1</sub>-C<sub>2</sub>-alkoxy and in which optionally one or two not directly adjacent methylene groups are replaced by oxygen, or represents phenyl or phenyl-C<sub>1</sub>-C<sub>2</sub>-alkyl, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-haloalkyl, C<sub>1</sub>-C<sub>2</sub>-haloalkoxy, cyano or nitro,

R<sup>13'</sup> represents hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl or C<sub>3</sub>-C<sub>6</sub>-alkenyl.

3. (Currently amended) ~~Compounds~~ The compound of the formula (I) according to Claim 1, in which

A, B and the carbon atom to which they are attached represent saturated C<sub>3</sub>-C<sub>7</sub>-cycloalkyl in which optionally one methylene group is replaced by oxygen and which is optionally mono- or disubstituted by C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>2</sub>-haloalkyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy,

G represents one of the groups



in which

E represents a metal ion equivalent or an ammonium ion,

L represents oxygen or sulphur and

M represents oxygen or sulphur,

R<sup>1</sup> represents C<sub>1</sub>-C<sub>10</sub>-alkyl, C<sub>2</sub>-C<sub>10</sub>-alkenyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>2</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkylthio-C<sub>1</sub>-C<sub>2</sub>-alkyl or poly-C<sub>1</sub>-C<sub>3</sub>-alkoxy-C<sub>1</sub>-C<sub>2</sub>-alkyl, each of which is optionally mono- to pentasubstituted by fluorine or chlorine, monosubstituted by cyano, monosubstituted by CO-R<sup>13</sup>, C=N-OR<sup>13</sup> or CO<sub>2</sub>R<sup>13</sup>, or represents C<sub>3</sub>-C<sub>6</sub>-cycloalkyl which is optionally mono- or disubstituted by fluorine, chlorine, C<sub>1</sub>-C<sub>2</sub>-alkyl or C<sub>1</sub>-C<sub>2</sub>-alkoxy and in which optionally one or two not directly adjacent methylene groups are replaced by oxygen,

represents phenyl or benzyl, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, cyano, nitro, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkylthio,

C<sub>1</sub>-C<sub>4</sub>-sulphalkynyl, C<sub>1</sub>-C<sub>4</sub>-alkylsulphonyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-haloalkyl or C<sub>1</sub>-C<sub>2</sub>-haloalkoxy,

represents pyrazolyl, thiazolyl, pyridyl, pyrimidyl, furanyl or thienyl, each of which is mono- or disubstituted by fluorine, chlorine, bromine or C<sub>1</sub>-C<sub>2</sub>-alkyl,

R<sup>2</sup> represents C<sub>1</sub>-C<sub>10</sub>-alkyl, C<sub>2</sub>-C<sub>10</sub>-alkenyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>2</sub>-C<sub>4</sub>-alkyl or poly-C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>2</sub>-C<sub>4</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine,

represents C<sub>3</sub>-C<sub>7</sub>-cycloalkyl which is optionally monosubstituted by C<sub>1</sub>-C<sub>2</sub>-alkyl or C<sub>1</sub>-C<sub>2</sub>-alkoxy or

represents phenyl or benzyl, each of which is optionally mono- or disubstituted by fluorine, chlorine, bromine, cyano, nitro, C<sub>1</sub>-C<sub>4</sub>-alkyl, methoxy, trifluoromethyl or trifluoromethoxy,

R<sup>3</sup> represents C<sub>1</sub>-C<sub>4</sub>-alkyl which is optionally mono- to trisubstituted by fluorine or chlorine or represents phenyl or benzyl, each of which is optionally monosubstituted by fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, trifluoromethyl, trifluoromethoxy, cyano or nitro,

R<sup>4</sup> and R<sup>5</sup> independently of one another represent C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>6</sub>-alkylamino, di(C<sub>1</sub>-C<sub>6</sub>-alkyl)amino, C<sub>1</sub>-C<sub>6</sub>-alkylthio or C<sub>3</sub>-C<sub>4</sub>-alkenylthio, each of which is optionally mono- to trisubstituted by fluorine or chlorine, or represent phenyl, phenoxy or phenylthio, each of which is optionally mono- or disubstituted by fluorine, chlorine,

bromine, nitro, cyano, C<sub>1</sub>-C<sub>3</sub>-alkoxy, trifluoromethoxy, C<sub>1</sub>-C<sub>3</sub>-alkylthio, C<sub>1</sub>-C<sub>3</sub>-alkyl or trifluoromethyl,

R<sup>6</sup> and R<sup>7</sup> independently of one another represent hydrogen, represent C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>3</sub>-C<sub>6</sub>-alkenyl or C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>2</sub>-C<sub>6</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine, represent phenyl which is optionally mono- or disubstituted by fluorine, chlorine, bromine, trifluoromethyl, C<sub>1</sub>-C<sub>4</sub>-alkyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy, or together represent a C<sub>5</sub>-C<sub>6</sub>-alkylene radical which is optionally mono- or disubstituted by methyl and in which optionally one methylene group is replaced by oxygen,


R<sup>13</sup> represents C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>3</sub>-C<sub>4</sub>-alkenyl, C<sub>3</sub>-C<sub>4</sub>-alkynyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>2</sub>-C<sub>3</sub>-alkyl or represents C<sub>3</sub>-C<sub>6</sub>-cycloalkyl in which optionally one methylene group is replaced by oxygen.

4. (Currently amended) ~~Compounds~~ The compound of the formula (I) according to Claim 1 in which

A, B and the carbon atom to which they are attached represent saturated C<sub>6</sub>-cycloalkyl in which optionally one methylene group is replaced by oxygen and which is optionally monosubstituted by methyl, ethyl, trifluoromethyl, methoxy, ethoxy, n-propoxy, isopropoxy, n-butoxy or isobutoxy,

G represents one of the groups





in which

L represents oxygen and

M represents oxygen or sulphur,

R<sup>1</sup> represents C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>1</sub>-C<sub>2</sub>-alkoxy-C<sub>1</sub>-C<sub>2</sub>-alkyl, C<sub>1</sub>-C<sub>2</sub>-alkylthio-C<sub>1</sub>-C<sub>2</sub>-alkyl or poly-C<sub>1</sub>-C<sub>2</sub>-alkoxy-C<sub>1</sub>-C<sub>2</sub>-alkyl, each of which is optionally mono- to trisubstituted by fluorine or chlorine, or represents cyclopropyl, cyclopentyl or cyclohexyl, each of which is optionally monosubstituted by fluorine, chlorine, methyl, ethyl or methoxy,

represents phenyl which is optionally monosubstituted by fluorine, chlorine, bromine, cyano, nitro, methyl, ethyl, n-propyl, isopropyl, methoxy, ethoxy, methylthio, ethylthio, methylsulphinyl, ethylsulphinyl, methylsulphonyl, ethylsulphonyl, trifluoromethyl or trifluoromethoxy,

represents furanyl, thienyl or pyridyl, each of which is optionally monosubstituted by chlorine, bromine or methyl,

R<sup>2</sup> represents C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl or C<sub>1</sub>-C<sub>3</sub>-alkoxy-C<sub>2</sub>-C<sub>3</sub>-alkyl, cyclopentyl or cyclohexyl,

or represents phenyl or benzyl, each of which is optionally monosubstituted by fluorine, chlorine, bromine, cyano, nitro, methyl, methoxy, trifluoromethyl or trifluoromethoxy,

$R^3$  represents  $C_1$ - $C_4$ -alkyl which is optionally mono- to trisubstituted by fluorine or chlorine, or represents phenyl or benzyl, each of which is optionally monosubstituted by fluorine, chlorine, bromine,  $C_1$ - $C_4$ -alkyl,  $C_1$ - $C_4$ -alkoxy, trifluoromethyl, trifluoromethoxy, cyano or nitro,

$R^6$  represents hydrogen, represents  $C_1$ - $C_4$ -alkyl,  $C_3$ - $C_6$ -cycloalkyl or allyl, represents phenyl which is optionally monosubstituted by fluorine, chlorine, bromine, methyl, methoxy or trifluoromethyl,


$R^7$  represents methyl, ethyl, n-propyl, isopropyl or allyl,

$R^6$  and  $R^7$  together represent a  $C_5$ - $C_6$ -alkylene radical in which optionally one methylene group is replaced by oxygen.

5. (Currently amended) ~~Compounds~~ The compound of the formula (I) according to Claim 1 in which

A, B and the carbon atom to which they are attached represent saturated  $C_6$ -cycloalkyl which is optionally monosubstituted by methyl, methoxy or n-propoxy,

G represents one of the groups



in which

L represents oxygen and

M represents oxygen,

$R^1$  represents  $C_1$ - $C_6$ -alkyl,  $C_1$ - $C_2$ -alkoxy- $C_1$ - $C_2$ -alkyl or cyclopropyl,

R<sup>2</sup> represents C<sub>1</sub>-C<sub>8</sub>-alkyl or C<sub>2</sub>-C<sub>6</sub>-alkenyl,

R<sup>3</sup> represents C<sub>1</sub>-C<sub>4</sub>-alkyl.

6. – 7. (Cancelled)

8. (Currently amended) A pesticide or herbicide ~~Pesticides and herbicides~~, characterized in that it comprises ~~they comprise~~ at least one compound of the formula (I) according to Claim 1.

9. - 16. (Cancelled)

17. (New) The pesticide or herbicide of claim 8, wherein said at least one compound of formula (I) is part of a formulation selected from the group consisting of solutions, emulsions, wettable powders, suspensions, powders, dusts, pastes, soluble powders, granules, suspension-emulsion concentrates, natural and synthetic materials impregnated with active compound, and microencapsulations in polymeric materials.